



ARCTIC LEASH®

Manufactured By APC GROUP, INC.

The Arctic Leash is the *first and only* watertight outdoor retractable cord reel. The Arctic Leash can withstand temperatures to -57°F and UV resistant to 220°F. The reels are designed to be used in the harshest environments and climates. The Arctic Leash is impervious to temperature, rain, snow, wind, and sand. Making this the ideal choice for outdoor retractable power and a wide range of endless applications.

ARCTIC LEASH SPECS

1. The Arctic Leash is the only outdoor watertight cord reel flexible to -57°F.
2. Conforms to UL Std. 1363A, UL Std. 355, and CSA C22.2 Std. No. 308.
3. Available in various lengths, gauges, and plug configurations.
4. Lighted plugs and receptacles in 5-15 and 5-20 P/R plugs.
5. Produced with 12, 14, and 16 gauge with internal 20/15 amp. breaker.
6. Custom cord reel solutions and special builds and OEM's welcomed.

NEW PRODUCT AVAILABLE NOW

The only 55FT/70FT/80FT retractable 12/14 gauge with a 20 amp breaker. The first weatherproof cord reel designed for the harshest climates in the world. Manufactured with lighted plugs and SJE00W all-weather cord, flexible to -57°F, UV resistant 220°F, water resistant, and oil resistant.



Used to provide outdoor retractable power for fleet accounts, business, Block heaters, industry, commercial, military, and new construction.



New 12 Gauge 55ft. and 70ft. 14 gauge 80ft. 20 amp. Breaker. Includes lighted plugs and swivel mount bracket. Pedestal supports 1 to 4 reels, includes electrical boxes, hardware, and reflective tape.



The Arctic Leash attaches to all U.S. and Canadian license plate frames. Available in 20, 30, and 40ft. Length's in 12, 14, and 16 gauge. Includes bracket, frame, and mounting hardware.


ATTACHES TO LICENSE PLATE FRAME




Conforms to UL listings 1363A, UL 355, UL 94-VO, Certified to CSA C22.2 Std No. 308, CSA 6.8.2, CSA 6.4



PRODUCT SPECIFICATIONS

Large Reel	Model Number	Length	Breaker Amp	Gauge	Retractable End	Non-Retracting End	Ship Weight
 <p>All models include swivel bracket.</p>	AL-502012-F	50	20	12/3	Female	Male	18lbs.
	AL-552012-F	55	20	12/3	Female	Male	18lbs.
	AL-702012-F	70	20	12/3	Female	Male	20lbs.
	AL-802014-F	80	20	14/3	Female	Male	22lbs.

Small Reel	Model Number	Length	Breaker Amp	Gauge	Retractable End	Non-Retracting End	Ship Weight
 <p>Mounting brackets sold separately</p>	AL-202012-F	20	20	12/3	Female	Male	13lbs.
	AL-302014-F	30	20	14/3	Female	Male	13lbs.
	AL-401516-F	40	15	16/3	Female	Male	14lbs.
	AL-202012-M	20	20	12/3	Male	Female	13lbs.
	AL-302014-M	30	20	14/3	Male	Female	13lbs.
	AL-401516-M	40	15	16/3	Male	Female	14lbs.

Pedestals & Brackets	Model #		Shipping Weight
 <p>ALP-4-2 Pedestal</p>	ALP-40-2	40" pedestals, powder-coated hammer black, supports two cord reels. Includes two watertight outlets, mounting brackets, hardware, and reflective tape.	22 lbs.
	ALP-40-4	40" pedestals, powder-coated hammer black, supports four cord reels. Includes four watertight outlets, mounting brackets, hardware, and reflective tape.	24 lbs.
	ALMP	Mounting plate for small reels, mounts to wall, pole, and post.	2 lbs.
	ALLB	License plate bracket for small reels. Fits all vehicles and trucks. Comes with bracket, mounting hardware, and decorative plate.	4 lbs.
	ALCB	Ceiling bracket for small reels.	2 lbs.

CORD REEL SPECIFICATIONS



Large cord reels provide 55 - 80 feet in 12 or 14 gauge, with a 20 amp breaker. Includes swivel bracket, and flexible to -57°F.

Small cord reel provides 10 - 40 feet in 12, 14, and 16 gauge with 20, 15, and 13 amp breakers, flexible to -57°F. Requires additional mounting brackets.

Samples are available upon request for evaluations at no charge.



The Arctic Leash comes in Black or White.

ARCTIC LEASH INSTALLATION MOUNTING BRACKETS



ALCB used to mount to ceiling or wall. (Small reels only.)



ALMP used to mount to post, pole, or wall. (Small reels only.)



ALP-40 used to mount 1-4 reels, of all sizes. Includes electrical boxes, brackets, and mounting hardware.



ALLB used to mount to all US and Canadian license plates. Includes bracket, mounting hardware, and Arctic Leash frame.



ALLB used to mount to all US and Canadian license plates. Includes bracket, mounting hardware, and Arctic Leash frame.



ALLB used to mount to all US and Canadian license plates. Includes bracket, mounting hardware, and Arctic Leash frame.



The Arctic Leash attaches to all U.S. and Canadian license plate frames. Available in 20, 30, and 40ft. Lengths in 12, 14, and 16 gauge. Includes bracket, frame, and mounting hardware.



The picture above shows the first Arctic Leash tested for two years for this application. This unit has been submerged, subjected to Arctic temperatures, and 120°F temps. This Arctic Leash shows little to no wear and secure as first installed.

APC GROUP INC.
219 S. William Dillard
Building. 4
Gilbert AZ 85233



Visit arcticleash.com
for additional information